19 Wall Recessed & Inground>The Glass Face Recessed Lights

68076A



4W Glass SMD LED recessed wall light, IP65.


AC LED

Complies with standard EN60598-1 and any other specific standards.



Downloads

Dimensions



Physical Specification

Item Group	19 Wall Recessed & Inground
Family	The Glass Face Recessed Lights
Order Code	68076A
Colour	White/Black
Material	Glass
Shape	Rectangular
Length	190mm

Width	80mm
Height	36mm
Cutout Hole Width	115mm
Cutout Hole Length	70mm
Recessed wall	Yes



Depth Required	55mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	No
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	4W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F

Illumination Data

Colour Temperature	3000K
Lumen Output	270lm
Light Efficiency	67,5lm/W
CRI	80
Beam Angle	36°

Beam Angle	36°
Illumination Diagram	
Dark Light	Yes
Packing Info	
Box Weight	0.491kg



Pcs/Carton	12
Barcode	5291889062325
HS Code	9405115000

Certification & Warranty	
Warranty	2 Years
Weee Directive	Yes

